Genetically Modified (Transgenic) Plants in Perspective





Special Mail investigation shows how every part of our culture is now tainted by cocaine

Ruling by EU bureaucrats could open the floodgates to Frankenstein foods

erless to stop Franken- and Michael Taggart stein crops last night following an explosive Brussels ruling.

genetically modified crops would be in breach of EU law. It means blotech firms could grow



Helen the Calendar

Paradox: Recombinant Food Additives and Drugs Have a Long History of Acceptance (Even in Europe)

Chymosin

(approved in 1990)

- Historically, rennin extracted from calves' stomachs has been used to coagulate milk in cheese making.
- Chymosin is one of the important enzymes in renin.
- Recombinant chymosin is now used to make over 95% of the hard cheese made in the U.S.

Therapeutic Recombinant Proteins

54 products have been approved for marketing in the U.S. since 1982

Coagulation Factors

Fertility Hormones

Glucagon

Growth Factors

Insulin

Interferons

Interleukin

Replacement Enzymes

Tissue Plasminogen Activator

Where I'm going Conventionally **How Genes Work Modified Plants Plant Genomes Creating Recombinant Plants Examples of Recombinant Plants US Regulation** Risks and **Benefits**

Zea mays










Brassica oleracea



cabbage



cauliflower



brussel sprouts



wild cabbage



broccoli



kale



kohlrabi

Daucus carrota





The Green Revolution




- Semi-dwarf gene reduced stature (rice, wheat, maize, sorghum)
- Higher yielding
- Changed agricultural practices

sugary1: simple gene inheritance in corn




Quantitative Variation in Tomato Size and Shape






su1 (sugary 1) gene




Arabidopsis thaliana (mouseear cress)



- 26,000 genes
- Differences compared with animals:
 - metabolism
 - cell wall
 - signal transmission
- Gene Duplication
- Wealth of data speeded and changed research




- 42,400 genes
- Monocot-specific genes
- Extensive gene duplication
- Colinearity with other cereals
- Direct application to plant improvement




Sequence homology indicates common function

Many genes came from lateral transfer





Plant Transformation with Agrobacterium




Bacillus thuringensis Toxin (Bt)



- Bacteria produce toxins with a variety of specificities
- Not toxic to non-target organisms
- One of the major groups of transgenes

The Refuge Strategy Prevents Evolution of Resistance to Bt Toxin



- EPA mandates 20% non-Bt crop area
- High dose of toxin kills non-resistant insects
- Refuge supplies non-resistant insects that will swamp out resistant mutants that may appear.

Herbicide-resistant Soybeans



Papaya Ringspot Virus



infected immature fruit



electron micrograph of virus



Trees expressing a portion of the virus coat protein are protected from the virus.

susceptible trees


Golden Rice



- Worldwide 125 million children suffer from vitamin A deficiency.
- Beta-carotene is the precursor to vitamin A.
- Rice has been engineered to produced beta-carotene in the seed.



Moonvista



Moonlite




Moonshade



Moonaqua



U.S. Regulation of Recombinant Plants



GM Foods Approved for Human Consumption in the US (April, 2002)

Modification	Insect Resistance	Viral Resistance	Herbicide Tolerance	Modified Oil	Plant Sterility	Delayed Ripening/ Softening
GM Plant (# of plant varieties)	Corn (8) Tomato (1) Potato (4) Cotton (2)	Squash (2) Papaya (1) Potato (2)	Canola (8) Corn (9) Cotton (4) Flax (1) Radish (1) Rice (1) Soybean (2)	Canola (1) Soybean (1)	Canola (3) Corn (3) Radish (1)	Cantaloupe (1) Tomato (4)
Totals	15	5	Sugar Beet (2)	2	7	5

National Research Council, U.S. National Academy of Sciences

"Introduction of Recombinant DNA-Engineered Organisms into the Environment", 1987

- There is no evidence that unique hazards exist.
- The risks are the same as those associated with the introduction of unmodified organisms.

"Genetically Modified Pest-Protected Plants: Science and Regulation", 2000

● The committee is not aware of any evidence that foods on the market are unsafe to eat as a result of genetic modification.

"Environmental Effects of Transgenic Plants: The Scope and Adequacy of Regulation", 2003

• There are no new categories of risk associated with transgenic plants.

Genetically Modified Plants

- 1 What are the risks?
 - Food safety
 - Allergens
 - Toxins and anti-nutrients
 - Environment
 - Non-target species
 - Weeds

Allergenic Foods



Common Allergenic Foods

Crustacea (e.g. shrimp, lobster) Eggs Fish

Peanuts Soybeans Tree Nuts Wheat

Less Common Allergenic Foods

Fruits

Apple Avocado Banana Cherry Coconut Grapes Guava Kiwi Lemon Mango Melons Orange Peach Pear Pineapple Plum Strawberry Tangerine

Vegetables

Lupine Millet

Oats

Mushrooms

Barley **Parsley** Beans Pea Pepper Broccoli Buckwheat Potato Rice Cabbage Carrot Rye Sesame Celery Squash Corn Cottonseed oil Sunflower Swiss chard Cucumber Eggplant Tomato Hops Zucchini Lettuce Lentils

Milk

Spices

Anise

Chocolate


Cinnamon Clove Coriander Cumin Curry Dill Fennel Flax seed Garlic Ginger Honey Maple syrup Pepper Mustard Poppy seed

Assessment of Allergenic Potential (FAO/WHO, 2001) Source of Gene (Commonly Allergenic?) yes no yes **Sequence Similarity** Immuno Assays no yes no Stability to Digestion no yes Potentially Allergenic Allergenic Not Allergenic

Some Common Plant Toxins

present at low levels in many foods

Toxin	Plants	Effects	
Cyanogenic glycosides	Sweet potatoes, cassava, stone fruits, lima beans	Gastrointestinal inflammation, inhibition of cellular respiration	
Glulcosinolates	Canola, mustard, radish, cabbage, peanut soybean, onion	Goiter, impaired metabolism, decreased protein digestion	
Glycoalkaloids	Potato, tomato	Depressed central nervous system, kidney inflammation, carcinogenic, birth defects, reduced iron uptake	
Gossypol	Cottonseed	Reduced iron uptake, spermicidal, carcinogenic	
Lectins	Most cereals, soybeans, other beans, potatoes	Intestinal inflammation, decreased nutrient uptake	
Oxalate	Spinach, rhubarb, tomato	Reduced solubility of calcium, iron, and zinc	
Phenol	Most fruits and vegetables, cereals, soybean, potato, tea, coffee	Thiamine destruction, increases cholesterol, estrogen-mimic	
Coumarins	Celery, parsley, parsnips, figs	Light-activated carcinogens, skin irritation	




The Monarch Butterfly Study



- A widely publicized study claimed that pollen from Bt corn killed Monarch larvae.
- 6 subsequent studies have shown that there is no danger to the Monarch population from transgenic corn.



Sunflower with white rot disease



Fitness of Transgene in Wild Sunflowers

- Transgenic sunflowers containing a gene for oxalic acid synthesis are protected from white rot.
- The same gene, when transfered to wild sunflowers, confers no advantage despite strong selective pressure.

Genetically Modified Plants

- 2 What are the benefits?
 - Economic benefits
 - Reduced chemicals
 & other environmental benefits
 - Food security and health

Genetically Modified Plants

- 3 Summary
- An extension of plant breeding
 - New traits
 - One well-characterized gene vs.
 a large number of unknown genes
- Nature has no boundaries
- Enormous potential benefits
- Risks recognized
 - No new categories of risk

References: http://demeter.bio.bnl.gov/websites.html